



Eyes Of Zeus



EOZ



**EOZ**  
thinnest  
product of its kind

**SMOOTH** and  
elegant surface

Build your own **UI** design

Create your own  
**scenario**

& **Black**  
**Champagne**  
colors



Fully supported all kind of KNX products

EOZ



# EOZ TOUCH PANEL




## Lighting

Control every lighting objects in KNX Bus system



## Air-Condition

All kind of air condition devices can control over EOZ.



## Cameras

Watch all cameras over IP System from EOZ & Mobile App.



## Timer

Create your timer and live with time based automation.



## Concierge

The services created by administrative offices are now in your hand.



## IR Control

All kind of IR devices are in your control. Enjoy...




## Intercom

Communicate with Intercom & SIP Based devices over IP System.



## Security

Stay in secure with every sensor devices which connected to EOZ



## Scenarios

Create as a dynamic your scenarios easily.



## Announcements

Get and send announcements to administrative office.



# LUXUS

HOME / Hvac

11:30 AM  
July 19, 2018 | Wed.

Friday  
Partly Cloudy  
20° - 18°

Saturday  
Partly Cloudy  
20° - 18°

Sunday  
Showers  
20° - 18°

Living Room  
32.5°C  
124.5°F

Bedroom  
22.5°C  
125.5°F

Bedroom

Living Room

Living Room

HOME / Hvac / Living R

Living Room

22.5°C  
25.0°C

Floor Heating

Fan Mode



Auto

Low

Medium

High

Hvac Mode



Auto

Fan

Cool

Heat

## EOZ Touch Panel




7 Inch EOZ Touch Panel




10.1 Inch EOZ Touch Panel

Our EOZ software presents the same interface on all platforms. Every change you make to the master product is reflected simultaneously on the paired tablet software, mobile software and touch screens, if available.


## 7" TOUCH PANEL



## 10.1" TOUCH PANEL



## CONNECTION DIAGRAM



# EOZ TOUCH PANEL

- ▶ 7" and 10.1" capacitive touch panel
- ▶ 6 Infrared LED Outputs
- ▶ 6 dry contact inputs
- ▶ 3 or 6 Outputs DC 5V (Optional)
- ▶ Lighting, air-conditioning, heating/cooling, valves, shutter/blind, intercom, concierge services, timer, scenarios, weather forecast, security sensors, alarms, IP cameras, SIP video door phone properties
- ▶ Android 6 operating system
- ▶ Built in microphone and speakers 2x2 W

## TECHNICAL DATA

Product Detail	KNX Touch Screen - 24 V
Processor / Memory	Quad-core Cortex™ -A53 / 8GB e.MMC
Resolution	TFT - 1024X600 for 7" (LXP-370-000) / 1280X800 for 10.1" (LXP-310-000)
Mounting Position	7" Vertical / 10" Horizontal
KNX Connection	KNX Bus connection terminal
Connections	RS 485 / 2 USB / Wi-Fi / RJ-45 Ethernet / KNX Embedded / 6 IR LED Outputs
Inputs	6 Dry Contact, Voltage 5V Pulsed, Current 1 mA
Outputs	3 or 6 Outputs, Switching Capacity (resistive load) - 5A 277 VAC, Current 5A
Dimensions	7 inch - L:50 W:120 H:197 mm / 10.1 inch - L:50 W:245 H:183 mm
Certification	CE Certified



MOBILE APPLICATION



# MOBILE APPLICATION

Control from anywhere in any time over the mobile phone for Android and IOS of your buildings.

Design your own user interface from EOZ and use it same design over mobile apps

Control for Lighting, Shutter & Blinds, HVAC, Cameras, Alarm, Consierge and Scenerios

Connect over mobile app more then one EOZ panel

Get an instant push notifications for alarm conditions

iOS



android

